

1/23




FIG-1




FIG-2





FIG-3A






FIG-4




FIG-5




FIG-6




FIG-7

4/23




FIG-8




FIG-9

5/23





FIG-10

FIG-11



6/23




FIG-12




FIG-13

7/23





FIG-14A




FIG-14B

8/23





FIG-15A




FIG-15B

9/23




FIG-16




FIG-17




FIG-18

10/23




FIG-19




FIG-20




FIG-21

11/23




FIG-22A

FIG-22




FIG-23





FIG-24





PHARMACY PREPARATION




FIG-27A

17/23

PICK PROCESS

FOR CURRENT UNIT DOSE
MEDS AND PYXISPAKs (PARx)

FOR CUBIES PREFILLED
BY WHOLESALER




FIG-27B₁

18/23

PICK PROCESS

FOR CUBIES PREFILLED
BY PHARMACY IN
ADVANCE

FOR CUBIES FILLED BY
PHARMACY DURING PICK




FIG-27B₂

19/23

REFILL PROCESS AT THE STATION





FIG-27C

REFILL PROCESS AT THE STATION

FIG-27D₁

21/23

REFILL PROCESS AT THE STATION

CUBIE INSERT BELOW
PAR/REMOVE WHEN EMPTY




FIG-27D₂

22/23

REFILL PROCESS AT THE STATION

CUBIE SWAP BELOW PAR

CUBIE SWAP WITH DUPLICATES




FIG-27E

23/23

PROCESSING OF RETURNED CUBIES IN PHARMACY

CUBIES ARE EMPTY

CUBIES STILL CONTAIN MEDS
(REFILL UPON RETURN)




FIG-27F